



UTDS LHD (Load Haul Dump) Tires

The UTECH UTDS is a L-5 smooth tire pattern designed for underground mining. To satisfy the special requirement for cut and impact resistance, UTECH incorporates super deep tread, innovative sidewall and robust carcass in the design of UTDS.



Parts Details Of UTDS LHD (Load Haul Dump) Tires

Super deep tread for extended wear life:

- The tread is designed 10% deeper compared with the average in the market, which extends the wear life exponentially.



The thickened sidewall and square shoulder design dramatically reduce the chances of sidewall cuts and damages:

- The square shoulder design pushes debris aside and protects the sidewall from cuts and damages.
- Sidewall thickened to resist cuts and snags.

Extra impact resistance enabled by reinforced tire architecture:

- High tensile steel belt package and robust carcass built in for better impact and puncture resistance.

Specifications of UTDS LHD (Load Haul Dump) Tires

Size	Star Rating	TRA Code	Rim	Section width		Overall Diameter		Tread Depth		Load Index & Speed Symbol	Type
				in	mm	in	mm	32nds	mm		
12.00R24	★★★	L5S	8.50V/1.8	12.4	315	50.2	1275	70	56	177A2	TT/TL
17.5R25	★★	L5S	14.00/1.5	17.52	445	55.08	1399	76	60	182A2	TT/TL
18.00R25	★★	L5S	13.00/2.5	19.61	498	65.87	1673	105	83	204A2	TL
26.5R25	★★	L5S	22.00/3.0	26.5	673	70.79	1798	112	88.5	209A2	TL
29.5R25	★★	L5S	25.00/3.5	29.49	749	79.65	1921	124	98.5	216A2	TL
29.5R29	★★	L5S	25.00/3.5	29.49	749	79.65	2023	124	98.5	218A2	TL